




++
+ Small Size
Bigger Effect



KEMERLİ GROUP

Kemerli Metal was established in 2008 on an area of 23,000 m² in Kayseri, Turkey's leading industrial center. Our company, which has increased both its product range and market volume on this path we set out to meet the needs of the furniture and construction sector in Turkey, produces industrial staples for the bed and furniture sector under the Kemerli brand and steel concrete fibers under the Kemerix brand for the construction sector.

Kemerix, with its broad scope of operations and robust infrastructure, manufactures 100% domestically produced steel concrete reinforcement, which is used in numerous projects both within Turkey and internationally. It offers labor, cost, and time savings to the structures. Kemerli Staples designs industrial staples for long-lasting, high-quality use, and produces them from the most durable materials. In line with our policy of meeting customer demands at the highest level, we have expanded our product portfolio by adding Santel, Telsan, and Abakan to our brand offerings.

Our company is managed based on policies of continuous development, statistical process control, customer satisfaction, and social responsibility, supported by the experience gained since our establishment and our modern management team.

At Kemerli Metal, we complement our commitment to quality, the environment, and occupational health and safety with our TS EN ISO 9001 Quality Management System, TS EN ISO 14001 Environmental Management System, TS ISO 45001:2018 Occupational Health and Safety Management System, CE, and TSE product conformity certifications, ensuring compliance with international standards. We foster a transparent working environment that encourages creativity and teamwork among our employees, promotes individual development, and aligns company goals at all levels. In this context, our young and dynamic team meticulously analyzes market data and addresses customer expectations in the most appropriate manner.


Our organization's vision is to become a globally recognized brand by achieving sustainable success in the sector. Our long-term goal is to rise to a leadership position on a global scale, driven by innovation and quality in our products.



Kemerli Group
Promotional Film



Product Introduction
Video



Air Staple Gun
Use

BRANDS



TEL-SAN®



QUALITY CERTIFICATES



SUSTAINABILITY


Kemerli Metal addresses its environmental, social and economic responsibilities as a whole by placing sustainability principles at the center of its business model. In our activities, we not only meet sectoral needs, but also work to produce solutions that meet the requirements of the future. In our production facility in Kayseri, one of the leading industrial zones of Turkey, we base ourselves on clean production methods and circular economy principles. Our sustainability strategies are shaped in line with the United Nations Sustainable Development Goals (SDGs) and the Global Compact, and are managed based on the Global Reporting Initiative (GRI) standards. Our company's sustainability policies are determined by the Sustainability Committee, established under the leadership of the Chairman of the Board, and this process is coordinated by the Sustainability Office. Our office monitors and reports our environmental, social and corporate governance performance and implements improvement efforts towards our strategic goals.

As part of our energy management strategies, we meet 70% of our energy needs in our production facilities from renewable sources and follow a comprehensive roadmap to reduce carbon emissions. At the same time, we minimize our environmental impacts with water conservation, hazardous waste management and clean production practices. In the field of social sustainability, we organize comprehensive training programs to support the development of our employees, implement policies that promote gender equality and always prioritize occupational health and safety. While providing an inclusive, safe and motivating working environment for our employees, we develop projects for the benefit of society with our local and global collaborations.

Our sustainability efforts include energy efficiency, environmentally friendly production methods, social responsibility projects and initiatives that contribute to economic development by revealing our environmental and social performance in detail. Adhering to the principles of transparency and accountability, we act responsibly in all our processes to shape a sustainable future.



80 SERIES STAPLES



Application Areas

- Furniture Manufacturing
- Flooring Industry
- Shipping and Automotive
- Door and Window Manufacturing
- Carpet and Shoe Manufacturing
- Picture Frames and Wooden Materials

General Information

	80/06	80/08	80/10	80/12	80/14	80/16	80/22
Wire Diameter	0,81	0,81	0,81	0,81	0,81	0,81	0,81
Crown	12,80	12,80	12,80	12,80	12,80	12,80	12,80
Nail Inner Diameter	11,50 mm	11,50 mm	11,50 mm	11,50 mm	11,50 mm	11,50 mm	11,50 mm
Nails Thickness	0,65 mm	0,65 mm	0,65 mm	0,65 mm	0,65 mm	0,65 mm	0,65 mm

SMALL BOX



	80/06	80/08	80/10	80/12	80/14	80/16	80/22
Leg Length	6 mm	8 mm	10 mm	12 mm	14 mm	16 mm	22 mm
Pcs/Strip	125	125	125	125	125	125	125
Strip/Box	48	40	32	24	24	18	16
Box/Package	30	30	30	30	30	30	30
Pcs/Box	6.000	5.000	4.000	3.000	3.000	2.500	2.000
Small Box (gr)	540	535	495	425	470	395	455
Weight of Package (kg)	16,4	16,3	15,0	12,9	14,3	12,0	13,8

BIG BOX

80 SERIES STAPLES




	80/06	80/08	80/10	80/12	80/14	80/16
Leg Length	6 mm	8 mm	10 mm	12 mm	14 mm	16 mm
Pcs/Strip	125	125	125	125	125	125
Strip/Box	144	96	80	64	64	48
Box/Package	12	12	12	12	12	12
Pcs/Box	18.000	12.000	10.000	8.000	8.000	6.000
Big Box (gr)	1600	1280	1230	1120	1240	1040
Weight of Package (kg)	19,5	15,5	14,9	13,6	15,1	12,7

PRODUCTION TYPE



	80/06	80/08	80/10	80/12	80/14	80/16
Leg Length	6 mm	8 mm	10 mm	12 mm	14 mm	16 mm
Pcs/Strip	150	150	150	150	150	150
Strip/Box	704	544	448	384	320	240
Box/Package	1	1	1	1	1	1
Pcs/Box	105.600	81.600	67.200	57.600	48.000	36.000
Weight of Package (kg)	9,4	8,7	8,2	8,0	7,5	6,2

92 SERIES STAPLES



Application Areas

- Furniture Manufacturing
- Flooring Industry
- Shipping and Automotive
- Door and Window Manufacturing
- Picture Frames and Wooden Materials

General Information

	92/17	92/20	92/25	92/30	92/35	92/40
Wire Diameter	1,16	1,16	1,16	1,16	1,16	1,16
Crown	8,90	8,90	8,90	8,90	8,90	8,90
Pcs/Strip	90	90	90	90	90	90
Nail Inner Diameter	6,80 mm	6,80 mm	6,80 mm	6,80 mm	6,80 mm	6,80 mm
Nails Thickness	1,05 mm	1,05 mm	1,05 mm	1,05 mm	1,05 mm	1,05 mm


SMALL BOX



	92/17	92/20	92/25	92/30	92/35	92/40
Leg Length	17 mm	20 mm	25 mm	30 mm	35 mm	40 mm
Strip/Box	14	14	10	8	7	7
Box/Package	30	30	30	30	30	30
Pcs/Box	1.260	1.260	900	720	630	630
Small Box (gr)	415	480	420	400	410	455
Weight of Package (kg)	12,7	14,5	12,8	12,2	12,4	13,8

BIG BOX

92 SERIES STAPLES




	92/17	92/20	92/25	92/30	92/35	92/40
Leg Length	17 mm	20 mm	25 mm	30 mm	35 mm	40 mm
Strip/Box	60	50	40	32	32	24
Box/Package	12	12	12	12	12	12
Pcs/Box	5.400	4.500	3.600	2.880	2.880	2.160
Big Box (gr)	1750	1690	1660	1570	1930	1540
Weight of Package (kg)	21,2	20,4	20,1	19,0	22,2	18,7

PRODUCTION TYPE



	92/17	92/20	92/25	92/30	92/35	92/40
Leg Length	17 mm	20 mm	25 mm	30 mm	35 mm	40 mm
Pcs/Strip	150	150	150	150	150	150
Strip/Box	240	210	168	146	124	108
Box/Package	1	1	1	1	1	1
Pcs/Box	21.600	18.900	15.120	13.140	11.160	9.720
Weight of Package (kg)	7,0	7,1	7,0	7,2	7,1	6,9

100 SERIES STAPLES



Application Areas

- Furniture Manufacturing
- Flooring Industry
- Shipping and Automotive
- Door and Window Manufacturing
- Picture Frames and Wooden Materials

General Information

	100/17	100/20	100/25	100/30	100/35	100/40	100/50
Wire Diameter	1,50	1,50	1,50	1,50	1,50	1,50	1,50
Crown	10,60	10,60	10,60	10,60	10,60	10,60	10,60
Pcs/Strip	75	75	75	75	75	75	75
Nail Inner Diameter	7,80 mm	7,80 mm	7,80 mm	7,80 mm	7,80 mm	7,80 mm	7,80 mm
Nails Thickness	1,40 mm	1,40 mm	1,40 mm	1,40 mm	1,40 mm	1,40 mm	1,40 mm

SMALL BOX



	100/17	100/20	100/25	100/30	100/35	100/40	100/50
Leg Length	17 mm	20 mm	25 mm	30 mm	35 mm	40 mm	50 mm
Strip/Box	12	9	8	7	6	5	4
Box/Package	30	30	30	30	30	30	30
Pcs/Box	900	675	600	525	450	375	300
Small Box (gr)	510	440	480	490	490	460	450
Weight of Package (kg)	15,4	13,4	14,5	14,9	14,8	14,0	13,8

BIG BOX

100 SERIES
STAPLES




	100/17	100/20	100/25	100/30	100/35	100/40	100/50
Leg Length	17 mm	20 mm	25 mm	30 mm	35 mm	40 mm	50 mm
Strip/Box	48	40	32	28	22	20	16
Box/Package	12	12	12	12	12	12	12
Pcs/Box	3.600	3.000	2.400	2.100	1.650	1.500	1.200
Big Box (gr)	2000	1930	1880	1940	1760	1810	1790
Weight of Package (kg)	24,3	23,3	22,8	23,5	21,3	21,9	21,6

PRODUCTION TYPE



	100/25	100/30	100/35	100/40	100/50
Leg Length	25 mm	30 mm	35 mm	40 mm	50 mm
Strip/Box	128	112	96	80	64
Box/Package	1	1	1	1	1
Pcs/Box	9.600	8.400	7.200	6.000	4.800
Weight of Package (kg)	7,5	7,8	7,7	7,2	7,1

16 SERIES STAPLES




Application Areas

- Pallet Manufacturing
- Felt Insulation
- Wooden Butt Joint
- Wood - Plastic Joining

	16/16	16/20	16/25	16/30	16/38
Wire Diameter	1,50	1,50	1,50	1,50	1,50
Nail Outer Back	25,30	25,30	25,30	25,30	25,30
Nail Inner Diameter	22,50 mm	22,50 mm	22,50 mm	22,50 mm	22,50 mm
Nail Thickness	1,40 mm	1,40 mm	1,40 mm	1,40 mm	1,40 mm
Leg Length	16 mm	20 mm	25 mm	30 mm	38 mm
Pcs/Strip	75	75	75	75	75
Strip/Box	8	8	4	4	4
Box/Package	30	30	30	30	30
Pcs/Box	600	600	300	300	300
Small Box (gr)	450	510	310	350	420
Weight of Package (kg)	13,5	15,5	9,4	10,6	12,6

P88 SERIES STAPLES




Application Areas

- Pallet Manufacturing
- Felt Insulation
- Wooden Butt Joint
- Sheet Metal - Wood - Plastic Joining
- Mattress Manufacturing

General Information		Small Box		Big Box	
P88/18		P88/18		P88/18	
Wire Diameter	0,81	Strip/Box	16	Strip/Box	48
Nail Outer Back	13,30	Box/Package	30	Box/Package	12
Leg Length	18 mm	Pcs/Box	1.600	Pcs/Box	4.800
Pcs/Strip	100	Small Box (gr)	370	Big Box (gr)	1100
Nail Inner Diameter	12,10 mm	Weight of Package (kg)	11,3	Weight of Package (kg)	13,4
Nail Thickness	0,60 mm				

35 BOX CLOSING SERIES STAPLE WIRE



Application Areas

- Box and Parcel Closing Applications



	35/15	35/18	35/22
Wire Diameter	1,60	1,60	1,60
Nail Outer Back	34,50	34,50	34,50
Nail Inner Diameter	32,50 mm	32,50 mm	32,50 mm
Nail Thickness	1,00 mm	1,00 mm	1,00 mm
Leg Length	15 mm	18 mm	22 mm
Pcs/Strip	50	50	50
Strip/Box	20	16	12
Box/Package	30	30	30
Pcs/Box	1.000	800	600
Box (gr)	950	840	700
Weight of Package (kg)	28,8	25,5	21,4



GLOBAL GOALS
for Sustainable Development



ASİSTANIN



Centre: Organize Sanayi Bölgesi 20.
Cad. No:62 Melikgazi / KAYSERİ /
TÜRKİYE

P: +90 (352) 322 13 84

F: +90 (352) 322 13 90

M: kemerli@kemerli.com.tr

 **444 7 489**



www.kemerli.com.tr

    /kemerligrup

 /kemerliakademi